

Wyniki obliczeń opadu pyłu

X m	Y m	Opad pyłu g/m ² /rok	X m	Y m	Opad pyłu g/m ² /rok
0	0	0,253	100	500	5,604
20	0	0,264	120	500	7,208
40	0	0,275	140	500	9,484
60	0	0,285	600	500	6,560
80	0	0,295	620	500	5,196
100	0	0,304	640	500	4,251
120	0	0,314	660	500	3,496
140	0	0,322	680	500	2,945
160	0	0,330	700	500	2,495
180	0	0,338	720	500	2,140
200	0	0,344	740	500	1,851
220	0	0,350	760	500	1,618
240	0	0,355	780	500	1,421
260	0	0,359	800	500	1,259
280	0	0,361	820	500	1,119
300	0	0,362	840	500	1,002
320	0	0,361	860	500	0,901
340	0	0,366	880	500	0,813
360	0	0,375	900	500	0,737
380	0	0,388	920	500	0,670
400	0	0,407	940	500	0,612
420	0	0,428	960	500	0,560
440	0	0,452	980	500	0,514
460	0	0,475	1000	500	0,473
480	0	0,502	0	520	2,344
500	0	0,529	20	520	2,767
520	0	0,555	40	520	3,303
540	0	0,580	60	520	4,045
560	0	0,595	80	520	5,011
580	0	0,601	100	520	6,453
600	0	0,596	120	520	8,443
620	0	0,585	140	520	11,341
640	0	0,567	600	520	6,818
660	0	0,545	620	520	5,368
680	0	0,522	640	520	4,346
700	0	0,499	660	520	3,569
720	0	0,477	680	520	2,987
740	0	0,454	700	520	2,530
760	0	0,432	720	520	2,167
780	0	0,407	740	520	1,872
800	0	0,381	760	520	1,632
820	0	0,357	780	520	1,433
840	0	0,330	800	520	1,267
860	0	0,309	820	520	1,127
880	0	0,287	840	520	1,007
900	0	0,265	860	520	0,904
920	0	0,248	880	520	0,815
940	0	0,229	900	520	0,738
960	0	0,214	920	520	0,671
980	0	0,200	940	520	0,613
1000	0	0,187	960	520	0,561
0	20	0,272	980	520	0,515
20	20	0,284	1000	520	0,474
40	20	0,297	0	540	2,469
60	20	0,308	20	540	2,932
80	20	0,320	40	540	3,541
100	20	0,330	60	540	4,351
120	20	0,341	80	540	5,535
140	20	0,351	100	540	7,168
160	20	0,361	120	540	9,603
180	20	0,369	140	540	13,433
200	20	0,377	160	540	18,341

X m	Y m	Opad pyłu g/m ² /rok
220	20	0,385
240	20	0,391
260	20	0,396
280	20	0,398
300	20	0,400
320	20	0,399
340	20	0,407
360	20	0,419
380	20	0,436
400	20	0,456
420	20	0,481
440	20	0,506
460	20	0,536
480	20	0,560
500	20	0,593
520	20	0,624
540	20	0,647
560	20	0,658
580	20	0,660
600	20	0,653
620	20	0,636
640	20	0,613
660	20	0,587
680	20	0,561
700	20	0,535
720	20	0,509
740	20	0,483
760	20	0,454
780	20	0,424
800	20	0,397
820	20	0,366
840	20	0,342
860	20	0,317
880	20	0,292
900	20	0,273
920	20	0,252
940	20	0,235
960	20	0,219
980	20	0,204
1000	20	0,193
0	40	0,291
20	40	0,306
40	40	0,320
60	40	0,334
80	40	0,347
100	40	0,359
120	40	0,372
140	40	0,384
160	40	0,396
180	40	0,406
200	40	0,416
220	40	0,424
240	40	0,432
260	40	0,438
280	40	0,441
300	40	0,444
320	40	0,447
340	40	0,451
360	40	0,470
380	40	0,483
400	40	0,516
420	40	0,531
440	40	0,572
460	40	0,590
480	40	0,636
500	40	0,650
520	40	0,701
540	40	0,708
560	40	0,730
580	40	0,719
600	40	0,714
620	40	0,690
640	40	0,663

X m	Y m	Opad pyłu g/m ² /rok
580	540	8,716
600	540	6,722
620	540	5,330
640	540	4,310
660	540	3,550
680	540	2,973
700	540	2,517
720	540	2,158
740	540	1,862
760	540	1,625
780	540	1,427
800	540	1,261
820	540	1,122
840	540	1,002
860	540	0,901
880	540	0,813
900	540	0,737
920	540	0,670
940	540	0,612
960	540	0,560
980	540	0,514
1000	540	0,474
0	560	2,554
20	560	3,048
40	560	3,694
60	560	4,612
80	560	5,788
100	560	7,614
120	560	10,283
140	560	14,498
160	560	20,776
560	560	10,720
580	560	8,199
600	560	6,421
620	560	5,119
640	560	4,178
660	560	3,457
680	560	2,905
700	560	2,468
720	560	2,115
740	560	1,833
760	560	1,600
780	560	1,407
800	560	1,246
820	560	1,109
840	560	0,993
860	560	0,893
880	560	0,807
900	560	0,732
920	560	0,666
940	560	0,608
960	560	0,557
980	560	0,512
1000	560	0,472
0	580	2,603
20	580	3,116
40	580	3,789
60	580	4,690
80	580	5,949
100	580	7,744
120	580	10,399
140	580	14,481
160	580	20,760
180	580	28,193
520	580	15,963
540	580	12,361
560	580	9,580
580	580	7,503
600	580	5,961
620	580	4,828
640	580	3,961
660	580	3,309
680	580	2,795

X m	Y m	Opad pyłu g/m ² /rok
660	40	0,633
680	40	0,603
700	40	0,572
720	40	0,542
740	40	0,509
760	40	0,475
780	40	0,443
800	40	0,408
820	40	0,381
840	40	0,351
860	40	0,323
880	40	0,302
900	40	0,278
920	40	0,259
940	40	0,240
960	40	0,224
980	40	0,212
1000	40	0,200
0	60	0,313
20	60	0,329
40	60	0,346
60	60	0,362
80	60	0,377
100	60	0,392
120	60	0,407
140	60	0,421
160	60	0,435
180	60	0,447
200	60	0,459
220	60	0,470
240	60	0,480
260	60	0,486
280	60	0,492
300	60	0,494
320	60	0,498
340	60	0,506
360	60	0,523
380	60	0,546
400	60	0,573
420	60	0,601
440	60	0,636
460	60	0,670
480	60	0,702
500	60	0,733
520	60	0,771
540	60	0,794
560	60	0,800
580	60	0,794
600	60	0,779
620	60	0,754
640	60	0,719
660	60	0,684
680	60	0,648
700	60	0,613
720	60	0,574
740	60	0,534
760	60	0,497
780	60	0,457
800	60	0,426
820	60	0,392
840	60	0,360
860	60	0,335
880	60	0,308
900	60	0,286
920	60	0,265
940	60	0,247
960	60	0,232
980	60	0,220
1000	60	0,208
0	80	0,337
20	80	0,355
40	80	0,374
60	80	0,393

X m	Y m	Opad pyłu g/m ² /rok
700	580	2,384
720	580	2,055
740	580	1,785
760	580	1,564
780	580	1,379
800	580	1,222
820	580	1,091
840	580	0,977
860	580	0,881
880	580	0,796
900	580	0,723
920	580	0,659
940	580	0,602
960	580	0,553
980	580	0,508
1000	580	0,469
0	600	2,616
20	600	3,126
40	600	3,779
60	600	4,682
80	600	5,890
100	600	7,590
120	600	10,046
140	600	13,744
160	600	19,440
180	600	26,816
480	600	20,674
500	600	16,298
520	600	13,156
540	600	10,375
560	600	8,344
580	600	6,728
600	600	5,466
620	600	4,482
640	600	3,728
660	600	3,134
680	600	2,664
700	600	2,286
720	600	1,977
740	600	1,726
760	600	1,516
780	600	1,341
800	600	1,193
820	600	1,065
840	600	0,957
860	600	0,864
880	600	0,782
900	600	0,712
920	600	0,649
940	600	0,594
960	600	0,545
980	600	0,502
1000	600	0,463
0	620	2,569
20	620	3,064
40	620	3,706
60	620	4,540
80	620	5,677
100	620	7,205
120	620	9,435
140	620	12,606
160	620	17,302
180	620	23,780
200	620	30,789
460	620	19,577
480	620	16,212
500	620	13,194
520	620	10,737
540	620	8,799
560	620	7,173
580	620	5,945
600	620	4,947
620	620	4,136

X m	Y m	Opad pyłu g/m ² /rok
80	80	0,411
100	80	0,429
120	80	0,446
140	80	0,463
160	80	0,479
180	80	0,494
200	80	0,509
220	80	0,522
240	80	0,534
260	80	0,542
280	80	0,550
300	80	0,553
320	80	0,563
340	80	0,575
360	80	0,592
380	80	0,621
400	80	0,653
420	80	0,688
440	80	0,722
460	80	0,761
480	80	0,800
500	80	0,836
520	80	0,872
540	80	0,890
560	80	0,893
580	80	0,879
600	80	0,855
620	80	0,822
640	80	0,781
660	80	0,738
680	80	0,697
700	80	0,651
720	80	0,605
740	80	0,562
760	80	0,515
780	80	0,478
800	80	0,439
820	80	0,402
840	80	0,374
860	80	0,343
880	80	0,318
900	80	0,294
920	80	0,272
940	80	0,256
960	80	0,241
980	80	0,228
1000	80	0,216
0	100	0,363
20	100	0,384
40	100	0,406
60	100	0,428
80	100	0,449
100	100	0,469
120	100	0,490
140	100	0,510
160	100	0,529
180	100	0,548
200	100	0,565
220	100	0,582
240	100	0,596
260	100	0,608
280	100	0,617
300	100	0,622
320	100	0,638
340	100	0,656
360	100	0,679
380	100	0,708
400	100	0,748
420	100	0,791
440	100	0,830
460	100	0,866
480	100	0,912
500	100	0,958

X m	Y m	Opad pyłu g/m ² /rok
640	620	3,474
660	620	2,947
680	620	2,521
700	620	2,178
720	620	1,896
740	620	1,658
760	620	1,462
780	620	1,296
800	620	1,156
820	620	1,036
840	620	0,932
860	620	0,843
880	620	0,765
900	620	0,697
920	620	0,637
940	620	0,583
960	620	0,536
980	620	0,494
1000	620	0,457
0	640	2,497
20	640	2,957
40	640	3,545
60	640	4,304
80	640	5,312
100	640	6,719
120	640	8,616
140	640	11,357
160	640	15,155
180	640	20,250
200	640	26,542
220	640	32,004
420	640	21,924
440	640	18,112
460	640	15,321
480	640	12,783
500	640	10,712
520	640	8,962
540	640	7,410
560	640	6,223
580	640	5,217
600	640	4,428
620	640	3,765
640	640	3,215
660	640	2,752
680	640	2,375
700	640	2,063
720	640	1,803
740	640	1,587
760	640	1,403
780	640	1,249
800	640	1,117
820	640	1,002
840	640	0,905
860	640	0,819
880	640	0,745
900	640	0,680
920	640	0,622
940	640	0,571
960	640	0,525
980	640	0,485
1000	640	0,449
0	660	2,405
20	660	2,824
40	660	3,355
60	660	4,036
80	660	4,938
100	660	6,124
120	660	7,748
140	660	9,963
160	660	12,864
180	660	16,664
200	660	21,851
220	660	27,178

X m	Y m	Opad pyłu g/m ² /rok
520	100	0,990
540	100	1,001
560	100	0,995
580	100	0,976
600	100	0,942
620	100	0,898
640	100	0,847
660	100	0,798
680	100	0,744
700	100	0,689
720	100	0,638
740	100	0,584
760	100	0,541
780	100	0,495
800	100	0,452
820	100	0,419
840	100	0,383
860	100	0,354
880	100	0,327
900	100	0,302
920	100	0,283
940	100	0,266
960	100	0,251
980	100	0,237
1000	100	0,225
0	120	0,392
20	120	0,415
40	120	0,440
60	120	0,466
80	120	0,491
100	120	0,515
120	120	0,540
140	120	0,564
160	120	0,587
180	120	0,610
200	120	0,631
220	120	0,653
240	120	0,669
260	120	0,685
280	120	0,696
300	120	0,709
320	120	0,727
340	120	0,753
360	120	0,782
380	120	0,818
400	120	0,853
420	120	0,909
440	120	0,955
460	120	1,001
480	120	1,043
500	120	1,098
520	120	1,127
540	120	1,129
560	120	1,114
580	120	1,083
600	120	1,040
620	120	0,980
640	120	0,920
660	120	0,857
680	120	0,791
700	120	0,731
720	120	0,666
740	120	0,615
760	120	0,561
780	120	0,511
800	120	0,473
820	120	0,430
840	120	0,397
860	120	0,365
880	120	0,337
900	120	0,315
920	120	0,295
940	120	0,278

X m	Y m	Opad pyłu g/m ² /rok
380	660	22,987
400	660	19,394
420	660	16,677
440	660	14,120
460	660	11,952
480	660	10,302
500	660	8,743
520	660	7,484
540	660	6,343
560	660	5,368
580	660	4,600
600	660	3,937
620	660	3,403
640	660	2,944
660	660	2,557
680	660	2,224
700	660	1,945
720	660	1,709
740	660	1,510
760	660	1,342
780	660	1,198
800	660	1,075
820	660	0,968
840	660	0,874
860	660	0,794
880	660	0,723
900	660	0,661
920	660	0,606
940	660	0,556
960	660	0,513
980	660	0,474
1000	660	0,439
0	680	2,295
20	680	2,678
40	680	3,145
60	680	3,762
80	680	4,531
100	680	5,562
120	680	6,905
140	680	8,594
160	680	10,829
180	680	13,609
200	680	17,142
220	680	21,296
240	680	24,378
360	680	19,501
380	680	16,861
400	680	14,782
420	680	12,825
440	680	11,137
460	680	9,639
480	680	8,318
500	680	7,273
520	680	6,271
540	680	5,441
560	680	4,685
580	680	4,034
600	680	3,514
620	680	3,057
640	680	2,684
660	680	2,355
680	680	2,072
700	680	1,824
720	680	1,613
740	680	1,433
760	680	1,278
780	680	1,145
800	680	1,030
820	680	0,930
840	680	0,844
860	680	0,767
880	680	0,700
900	680	0,641

X m	Y m	Opad pyłu g/m ² /rok
960	120	0,262
980	120	0,247
1000	120	0,233
0	140	0,423
20	140	0,450
40	140	0,479
60	140	0,509
80	140	0,539
100	140	0,568
120	140	0,597
140	140	0,625
160	140	0,653
180	140	0,681
200	140	0,708
220	140	0,734
240	140	0,755
260	140	0,776
280	140	0,790
300	140	0,810
320	140	0,840
340	140	0,861
360	140	0,906
380	140	0,930
400	140	1,002
420	140	1,029
440	140	1,107
460	140	1,129
480	140	1,215
500	140	1,233
520	140	1,284
540	140	1,260
560	140	1,251
580	140	1,199
600	140	1,144
620	140	1,072
640	140	0,995
660	140	0,916
680	140	0,843
700	140	0,766
720	140	0,705
740	140	0,641
760	140	0,582
780	140	0,536
800	140	0,487
820	140	0,447
840	140	0,410
860	140	0,377
880	140	0,351
900	140	0,328
920	140	0,308
940	140	0,289
960	140	0,272
980	140	0,256
1000	140	0,241
0	160	0,457
20	160	0,488
40	160	0,521
60	160	0,556
80	160	0,592
100	160	0,627
120	160	0,662
140	160	0,695
160	160	0,731
180	160	0,764
200	160	0,798
220	160	0,829
240	160	0,858
260	160	0,884
280	160	0,902
300	160	0,933
320	160	0,964
340	160	1,001
360	160	1,040

X m	Y m	Opad pyłu g/m ² /rok
920	680	0,588
940	680	0,542
960	680	0,499
980	680	0,462
1000	680	0,428
0	700	2,173
20	700	2,513
40	700	2,945
60	700	3,470
80	700	4,160
100	700	5,020
120	700	6,068
140	700	7,426
160	700	9,041
180	700	10,982
200	700	13,333
220	700	15,811
240	700	18,008
320	700	17,872
340	700	15,993
360	700	14,493
380	700	12,830
400	700	11,311
420	700	10,085
440	700	8,847
460	700	7,842
480	700	6,881
500	700	6,041
520	700	5,333
540	700	4,665
560	700	4,088
580	700	3,573
600	700	3,123
620	700	2,758
640	700	2,432
660	700	2,159
680	700	1,917
700	700	1,706
720	700	1,518
740	700	1,355
760	700	1,214
780	700	1,091
800	700	0,986
820	700	0,893
840	700	0,811
860	700	0,740
880	700	0,676
900	700	0,620
920	700	0,570
940	700	0,525
960	700	0,485
980	700	0,449
1000	700	0,417
0	720	2,042
20	720	2,356
40	720	2,731
60	720	3,203
80	720	3,790
100	720	4,468
120	720	5,334
140	720	6,347
160	720	7,522
180	720	8,898
200	720	10,346
220	720	11,893
240	720	13,026
260	720	13,527
280	720	13,808
300	720	13,434
320	720	12,902
340	720	11,940
360	720	10,879
380	720	9,901

X m	Y m	Opad pyłu g/m ² /rok
380	160	1,089
400	160	1,145
420	160	1,197
440	160	1,258
460	160	1,333
480	160	1,375
500	160	1,429
520	160	1,446
540	160	1,435
560	160	1,396
580	160	1,335
600	160	1,260
620	160	1,166
640	160	1,071
660	160	0,981
680	160	0,888
700	160	0,814
720	160	0,738
740	160	0,667
760	160	0,612
780	160	0,554
800	160	0,507
820	160	0,463
840	160	0,424
860	160	0,394
880	160	0,367
900	160	0,343
920	160	0,321
940	160	0,301
960	160	0,283
980	160	0,266
1000	160	0,250
0	180	0,494
20	180	0,530
40	180	0,568
60	180	0,609
80	180	0,652
100	180	0,694
120	180	0,736
140	180	0,776
160	180	0,820
180	180	0,860
200	180	0,904
220	180	0,942
240	180	0,980
260	180	1,012
280	180	1,039
300	180	1,082
320	180	1,129
340	180	1,179
360	180	1,222
380	180	1,283
400	180	1,352
420	180	1,416
440	180	1,473
460	180	1,546
480	180	1,621
500	180	1,664
520	180	1,666
540	180	1,635
560	180	1,576
580	180	1,492
600	180	1,383
620	180	1,265
640	180	1,155
660	180	1,041
680	180	0,949
700	180	0,857
720	180	0,771
740	180	0,705
760	180	0,635
780	180	0,579
800	180	0,526

X m	Y m	Opad pyłu g/m ² /rok
400	720	8,926
420	720	7,958
440	720	7,176
460	720	6,409
480	720	5,734
500	720	5,108
520	720	4,521
540	720	4,041
560	720	3,563
580	720	3,161
600	720	2,799
620	720	2,476
640	720	2,211
660	720	1,970
680	720	1,767
700	720	1,585
720	720	1,423
740	720	1,278
760	720	1,149
780	720	1,038
800	720	0,940
820	720	0,854
840	720	0,778
860	720	0,711
880	720	0,652
900	720	0,599
920	720	0,552
940	720	0,509
960	720	0,471
980	720	0,437
1000	720	0,406
0	740	1,921
20	740	2,191
40	740	2,530
60	740	2,942
80	740	3,406
100	740	3,990
120	740	4,663
140	740	5,426
160	740	6,311
180	740	7,259
200	740	8,225
220	740	9,184
240	740	9,627
260	740	10,051
280	740	10,069
300	740	9,993
320	740	9,531
340	740	9,041
360	740	8,433
380	740	7,742
400	740	7,109
420	740	6,466
440	740	5,844
460	740	5,332
480	740	4,803
500	740	4,335
520	740	3,895
540	740	3,486
560	740	3,135
580	740	2,794
600	740	2,503
620	740	2,239
640	740	2,002
660	740	1,804
680	740	1,623
700	740	1,467
720	740	1,327
740	740	1,200
760	740	1,087
780	740	0,984
800	740	0,895
820	740	0,815

X m	Y m	Opad pyłu g/m ² /rok
820	180	0,480
840	180	0,444
860	180	0,412
880	180	0,384
900	180	0,359
920	180	0,335
940	180	0,314
960	180	0,294
980	180	0,275
1000	180	0,259
0	200	0,535
20	200	0,576
40	200	0,621
60	200	0,668
80	200	0,718
100	200	0,770
120	200	0,820
140	200	0,871
160	200	0,923
180	200	0,974
200	200	1,027
220	200	1,076
240	200	1,127
260	200	1,167
280	200	1,215
300	200	1,264
320	200	1,334
340	200	1,399
360	200	1,462
380	200	1,524
400	200	1,604
420	200	1,688
440	200	1,760
460	200	1,825
480	200	1,919
500	200	1,951
520	200	1,930
540	200	1,868
560	200	1,780
580	200	1,661
600	200	1,514
620	200	1,375
640	200	1,233
660	200	1,119
680	200	1,005
700	200	0,900
720	200	0,818
740	200	0,733
760	200	0,666
780	200	0,602
800	200	0,547
820	200	0,504
840	200	0,466
860	200	0,432
880	200	0,402
900	200	0,374
920	200	0,349
940	200	0,326
960	200	0,305
980	200	0,285
1000	200	0,267
0	220	0,579
20	220	0,627
40	220	0,679
60	220	0,734
80	220	0,793
100	220	0,857
120	220	0,917
140	220	0,981
160	220	1,044
180	220	1,108
200	220	1,175
220	220	1,239

X m	Y m	Opad pyłu g/m ² /rok
840	740	0,745
860	740	0,683
880	740	0,626
900	740	0,577
920	740	0,532
940	740	0,492
960	740	0,457
980	740	0,424
1000	740	0,394
0	760	1,789
20	760	2,041
40	760	2,342
60	760	2,673
80	760	3,084
100	760	3,548
120	760	4,084
140	760	4,684
160	760	5,315
180	760	5,977
200	760	6,650
220	760	7,129
240	760	7,477
260	760	7,598
280	760	7,681
300	760	7,570
320	760	7,362
340	760	6,962
360	760	6,603
380	760	6,169
400	760	5,719
420	760	5,285
440	760	4,858
460	760	4,433
480	760	4,077
500	760	3,698
520	760	3,366
540	760	3,047
560	760	2,746
580	760	2,487
600	760	2,237
620	760	2,022
640	760	1,825
660	760	1,645
680	760	1,494
700	760	1,355
720	760	1,234
740	760	1,124
760	760	1,024
780	760	0,932
800	760	0,850
820	760	0,777
840	760	0,712
860	760	0,654
880	760	0,602
900	760	0,555
920	760	0,513
940	760	0,476
960	760	0,441
980	760	0,411
1000	760	0,382
0	780	1,676
20	780	1,903
40	780	2,147
60	780	2,449
80	780	2,781
100	780	3,162
120	780	3,608
140	780	4,042
160	780	4,541
180	780	4,999
200	780	5,405
220	780	5,710
240	780	5,846

X m	Y m	Opad pyłu g/m ² /rok
240	220	1,301
260	220	1,356
280	220	1,430
300	220	1,502
320	220	1,589
340	220	1,675
360	220	1,768
380	220	1,845
400	220	1,922
420	220	2,023
440	220	2,121
460	220	2,208
480	220	2,290
500	220	2,296
520	220	2,237
540	220	2,146
560	220	2,006
580	220	1,838
600	220	1,659
620	220	1,479
640	220	1,335
660	220	1,192
680	220	1,062
700	220	0,960
720	220	0,855
740	220	0,773
760	220	0,695
780	220	0,628
800	220	0,575
820	220	0,529
840	220	0,489
860	220	0,453
880	220	0,420
900	220	0,390
920	220	0,363
940	220	0,338
960	220	0,316
980	220	0,295
1000	220	0,276
0	240	0,627
20	240	0,683
40	240	0,743
60	240	0,808
80	240	0,878
100	240	0,954
120	240	1,029
140	240	1,108
160	240	1,185
180	240	1,271
200	240	1,351
220	240	1,437
240	240	1,515
260	240	1,590
280	240	1,694
300	240	1,785
320	240	1,924
340	240	1,999
360	240	2,156
380	240	2,201
400	240	2,357
420	240	2,396
440	240	2,573
460	240	2,600
480	240	2,757
500	240	2,669
520	240	2,619
540	240	2,437
560	240	2,258
580	240	2,037
600	240	1,803
620	240	1,617
640	240	1,433
660	240	1,268

X m	Y m	Opad pyłu g/m ² /rok
260	780	5,962
280	780	5,992
300	780	5,962
320	780	5,781
340	780	5,563
360	780	5,265
380	780	4,973
400	780	4,667
420	780	4,348
440	780	4,057
460	780	3,752
480	780	3,453
500	780	3,187
520	780	2,917
540	780	2,668
560	780	2,432
580	780	2,206
600	780	2,012
620	780	1,825
640	780	1,661
660	780	1,510
680	780	1,372
700	780	1,254
720	780	1,146
740	780	1,050
760	780	0,962
780	780	0,881
800	780	0,807
820	780	0,740
840	780	0,680
860	780	0,626
880	780	0,577
900	780	0,534
920	780	0,494
940	780	0,459
960	780	0,427
980	780	0,397
1000	780	0,370
0	800	1,573
20	800	1,758
40	800	1,986
60	800	2,233
80	800	2,513
100	800	2,839
120	800	3,165
140	800	3,538
160	800	3,876
180	800	4,187
200	800	4,449
220	800	4,623
240	800	4,711
260	800	4,757
280	800	4,779
300	800	4,760
320	800	4,646
340	800	4,494
360	800	4,288
380	800	4,073
400	800	3,846
420	800	3,632
440	800	3,406
460	800	3,191
480	800	2,967
500	800	2,743
520	800	2,547
540	800	2,341
560	800	2,156
580	800	1,974
600	800	1,802
620	800	1,654
640	800	1,511
660	800	1,384
680	800	1,266

X m	Y m	Opad pyłu g/m ² /rok
680	240	1,139
700	240	1,008
720	240	0,905
740	240	0,809
760	240	0,727
780	240	0,662
800	240	0,606
820	240	0,557
840	240	0,513
860	240	0,474
880	240	0,438
900	240	0,406
920	240	0,377
940	240	0,351
960	240	0,326
980	240	0,304
1000	240	0,284
0	260	0,680
20	260	0,744
40	260	0,814
60	260	0,891
80	260	0,974
100	260	1,065
120	260	1,158
140	260	1,254
160	260	1,352
180	260	1,459
200	260	1,565
220	260	1,676
240	260	1,779
260	260	1,899
280	260	2,014
300	260	2,168
320	260	2,314
340	260	2,452
360	260	2,607
380	260	2,759
400	260	2,845
420	260	2,943
440	260	3,082
460	260	3,225
480	260	3,264
500	260	3,221
520	260	3,024
540	260	2,799
560	260	2,535
580	260	2,238
600	260	1,991
620	260	1,750
640	260	1,536
660	260	1,369
680	260	1,203
700	260	1,072
720	260	0,952
740	260	0,849
760	260	0,768
780	260	0,699
800	260	0,639
820	260	0,586
840	260	0,538
860	260	0,495
880	260	0,457
900	260	0,422
920	260	0,391
940	260	0,363
960	260	0,338
980	260	0,316
1000	260	0,295
0	280	0,737
20	280	0,811
40	280	0,892
60	280	0,983
80	280	1,082

X m	Y m	Opad pyłu g/m ² /rok
700	800	1,158
720	800	1,065
740	800	0,978
760	800	0,901
780	800	0,830
800	800	0,764
820	800	0,704
840	800	0,648
860	800	0,598
880	800	0,553
900	800	0,513
920	800	0,476
940	800	0,442
960	800	0,412
980	800	0,384
1000	800	0,358
0	820	1,463
20	820	1,640
40	820	1,828
60	820	2,041
80	820	2,287
100	820	2,534
120	820	2,819
140	820	3,082
160	820	3,327
180	820	3,539
200	820	3,701
220	820	3,797
240	820	3,862
260	820	3,888
280	820	3,884
300	820	3,864
320	820	3,797
340	820	3,689
360	820	3,541
380	820	3,389
400	820	3,216
420	820	3,056
440	820	2,897
460	820	2,726
480	820	2,559
500	820	2,391
520	820	2,219
540	820	2,068
560	820	1,912
580	820	1,766
600	820	1,626
620	820	1,494
640	820	1,379
660	820	1,267
680	820	1,167
700	820	1,074
720	820	0,988
740	820	0,913
760	820	0,843
780	820	0,781
800	820	0,722
820	820	0,668
840	820	0,618
860	820	0,572
880	820	0,530
900	820	0,492
920	820	0,457
940	820	0,426
960	820	0,397
980	820	0,371
1000	820	0,347
0	840	1,374
20	840	1,521
40	840	1,686
60	840	1,877
80	840	2,066
100	840	2,294

X m	Y m	Opad pyłu g/m ² /rok
100	280	1,192
120	280	1,309
140	280	1,425
160	280	1,551
180	280	1,684
200	280	1,823
220	280	1,969
240	280	2,106
260	280	2,272
280	280	2,439
300	280	2,658
320	280	2,868
340	280	3,084
360	280	3,260
380	280	3,443
400	280	3,598
420	280	3,735
440	280	3,848
460	280	4,037
480	280	4,019
500	280	3,829
520	280	3,544
540	280	3,211
560	280	2,841
580	280	2,503
600	280	2,178
620	280	1,894
640	280	1,672
660	280	1,456
680	280	1,287
700	280	1,132
720	280	1,002
740	280	0,900
760	280	0,813
780	280	0,738
800	280	0,673
820	280	0,615
840	280	0,563
860	280	0,516
880	280	0,477
900	280	0,440
920	280	0,409
940	280	0,378
960	280	0,354
980	280	0,331
1000	280	0,310
0	300	0,802
20	300	0,884
40	300	0,979
60	300	1,086
80	300	1,205
100	300	1,337
120	300	1,483
140	300	1,628
160	300	1,788
180	300	1,956
200	300	2,142
220	300	2,328
240	300	2,522
260	300	2,756
280	300	3,015
300	300	3,301
320	300	3,603
340	300	3,932
360	300	4,198
380	300	4,428
400	300	4,625
420	300	4,843
440	300	5,016
480	300	4,971
500	300	4,621
520	300	4,168
540	300	3,663

X m	Y m	Opad pyłu g/m ² /rok
120	840	2,499
140	840	2,700
160	840	2,869
180	840	3,031
200	840	3,113
220	840	3,197
240	840	3,207
260	840	3,245
280	840	3,219
300	840	3,205
320	840	3,147
340	840	3,071
360	840	2,966
380	840	2,854
400	840	2,727
420	840	2,601
440	840	2,476
460	840	2,354
480	840	2,216
500	840	2,089
520	840	1,955
540	840	1,824
560	840	1,706
580	840	1,582
600	840	1,468
620	840	1,358
640	840	1,254
660	840	1,163
680	840	1,074
700	840	0,995
720	840	0,920
740	840	0,851
760	840	0,790
780	840	0,733
800	840	0,681
820	840	0,633
840	840	0,588
860	840	0,546
880	840	0,507
900	840	0,472
920	840	0,439
940	840	0,410
960	840	0,383
980	840	0,358
1000	840	0,335
0	860	1,283
20	860	1,414
40	860	1,565
60	860	1,713
80	860	1,892
100	860	2,060
120	860	2,226
140	860	2,364
160	860	2,502
180	860	2,581
200	860	2,673
220	860	2,686
240	860	2,727
260	860	2,725
280	860	2,721
300	860	2,675
320	860	2,658
340	860	2,585
360	860	2,519
380	860	2,423
400	860	2,337
420	860	2,239
440	860	2,138
460	860	2,036
480	860	1,937
500	860	1,830
520	860	1,727
540	860	1,624

X m	Y m	Opad pyłu g/m ² /rok
560	300	3,227
580	300	2,774
600	300	2,383
620	300	2,080
640	300	1,793
660	300	1,568
680	300	1,366
700	300	1,197
720	300	1,066
740	300	0,954
760	300	0,861
780	300	0,779
800	300	0,710
820	300	0,646
840	300	0,594
860	300	0,543
880	300	0,503
900	300	0,464
920	300	0,431
940	300	0,400
960	300	0,373
980	300	0,349
1000	300	0,326
0	320	0,878
20	320	0,978
40	320	1,088
60	320	1,211
80	320	1,349
100	320	1,504
120	320	1,682
140	320	1,868
160	320	2,073
180	320	2,289
200	320	2,534
220	320	2,778
240	320	3,049
260	320	3,389
280	320	3,776
300	320	4,198
320	320	4,614
340	320	5,082
360	320	5,516
380	320	5,913
400	320	6,102
420	320	6,397
500	320	5,584
520	320	4,881
540	320	4,267
560	320	3,634
580	320	3,077
600	320	2,648
620	320	2,252
640	320	1,944
660	320	1,673
680	320	1,450
700	320	1,277
720	320	1,133
740	320	1,018
760	320	0,917
780	320	0,829
800	320	0,754
820	320	0,686
840	320	0,631
860	320	0,577
880	320	0,533
900	320	0,492
920	320	0,456
940	320	0,425
960	320	0,396
980	320	0,370
1000	320	0,346
0	340	0,973
20	340	1,081

X m	Y m	Opad pyłu g/m ² /rok
560	860	1,518
580	860	1,424
600	860	1,325
620	860	1,235
640	860	1,147
660	860	1,064
680	860	0,992
700	860	0,920
720	860	0,856
740	860	0,796
760	860	0,739
780	860	0,689
800	860	0,642
820	860	0,599
840	860	0,558
860	860	0,521
880	860	0,485
900	860	0,452
920	860	0,422
940	860	0,395
960	860	0,369
980	860	0,346
1000	860	0,324
0	880	1,201
20	880	1,322
40	880	1,440
60	880	1,583
80	880	1,721
100	880	1,856
120	880	1,983
140	880	2,089
160	880	2,180
180	880	2,250
200	880	2,292
220	880	2,309
240	880	2,318
260	880	2,322
280	880	2,310
300	880	2,284
320	880	2,252
340	880	2,205
360	880	2,151
380	880	2,084
400	880	2,015
420	880	1,943
440	880	1,865
460	880	1,779
480	880	1,697
500	880	1,615
520	880	1,529
540	880	1,447
560	880	1,362
580	880	1,279
600	880	1,202
620	880	1,122
640	880	1,050
660	880	0,980
680	880	0,913
700	880	0,854
720	880	0,795
740	880	0,743
760	880	0,693
780	880	0,646
800	880	0,605
820	880	0,565
840	880	0,529
860	880	0,495
880	880	0,464
900	880	0,434
920	880	0,405
940	880	0,380
960	880	0,356
980	880	0,334

X m	Y m	Opad pyłu g/m ² /rok
40	340	1,215
60	340	1,359
80	340	1,522
100	340	1,713
120	340	1,931
140	340	2,171
160	340	2,423
180	340	2,697
200	340	3,011
220	340	3,346
240	340	3,755
260	340	4,182
280	340	4,806
300	340	5,312
320	340	6,098
340	340	6,623
360	340	7,407
380	340	7,838
500	340	6,640
520	340	5,831
540	340	4,900
560	340	4,099
580	340	3,465
600	340	2,898
620	340	2,464
640	340	2,089
660	340	1,794
680	340	1,561
700	340	1,380
720	340	1,226
740	340	1,096
760	340	0,989
780	340	0,888
800	340	0,809
820	340	0,734
840	340	0,672
860	340	0,616
880	340	0,566
900	340	0,524
920	340	0,486
940	340	0,451
960	340	0,421
980	340	0,392
1000	340	0,367
0	360	1,076
20	360	1,209
40	360	1,356
60	360	1,532
80	360	1,734
100	360	1,968
120	360	2,249
140	360	2,539
160	360	2,865
180	360	3,242
200	360	3,648
220	360	4,108
240	360	4,657
260	360	5,266
280	360	6,093
300	360	7,003
320	360	7,991
340	360	9,138
520	360	6,861
540	360	5,680
560	360	4,694
580	360	3,866
600	360	3,222
620	360	2,707
640	360	2,273
660	360	1,969
680	360	1,716
700	360	1,506
720	360	1,337

X m	Y m	Opad pyłu g/m ² /rok
1000	880	0,314
0	900	1,130
20	900	1,226
40	900	1,342
60	900	1,453
80	900	1,566
100	900	1,672
120	900	1,765
140	900	1,846
160	900	1,910
180	900	1,956
200	900	1,978
220	900	1,992
240	900	1,996
260	900	1,989
280	900	1,978
300	900	1,957
320	900	1,929
340	900	1,893
360	900	1,852
380	900	1,805
400	900	1,753
420	900	1,698
440	900	1,637
460	900	1,569
480	900	1,500
500	900	1,429
520	900	1,363
540	900	1,292
560	900	1,225
580	900	1,156
600	900	1,087
620	900	1,025
640	900	0,960
660	900	0,901
680	900	0,844
700	900	0,789
720	900	0,741
740	900	0,693
760	900	0,649
780	900	0,608
800	900	0,569
820	900	0,534
840	900	0,501
860	900	0,471
880	900	0,442
900	900	0,415
920	900	0,389
940	900	0,365
960	900	0,343
980	900	0,322
1000	900	0,303
0	920	1,054
20	920	1,150
40	920	1,241
60	920	1,333
80	920	1,426
100	920	1,505
120	920	1,576
140	920	1,636
160	920	1,683
180	920	1,711
200	920	1,718
220	920	1,729
240	920	1,732
260	920	1,724
280	920	1,708
300	920	1,690
320	920	1,668
340	920	1,642
360	920	1,607
380	920	1,574
400	920	1,535

X m	Y m	Opad pyłu g/m ² /rok
740	360	1,191
760	360	1,066
780	360	0,961
800	360	0,867
820	360	0,790
840	360	0,718
860	360	0,659
880	360	0,605
900	360	0,558
920	360	0,516
940	360	0,477
960	360	0,445
980	360	0,415
1000	360	0,387
0	380	1,200
20	380	1,343
40	380	1,530
60	380	1,741
80	380	1,986
100	380	2,276
120	380	2,608
140	380	3,014
160	380	3,442
180	380	3,945
200	380	4,494
220	380	5,103
240	380	5,917
260	380	6,907
280	380	8,038
300	380	9,395
320	380	10,986
520	380	8,226
540	380	6,771
560	380	5,381
580	380	4,427
600	380	3,617
620	380	2,995
640	380	2,539
660	380	2,170
680	380	1,888
700	380	1,645
720	380	1,454
740	380	1,288
760	380	1,149
780	380	1,035
800	380	0,931
820	380	0,846
840	380	0,771
860	380	0,701
880	380	0,645
900	380	0,592
920	380	0,547
940	380	0,506
960	380	0,470
980	380	0,437
1000	380	0,407
0	400	1,325
20	400	1,513
40	400	1,718
60	400	1,980
80	400	2,279
100	400	2,630
120	400	3,074
140	400	3,590
160	400	4,166
180	400	4,844
200	400	5,578
220	400	6,527
240	400	7,735
260	400	9,221
280	400	10,992
540	400	7,996
560	400	6,320

X m	Y m	Opad pyłu g/m ² /rok
420	920	1,493
440	920	1,444
460	920	1,390
480	920	1,334
500	920	1,274
520	920	1,217
540	920	1,161
560	920	1,103
580	920	1,047
600	920	0,990
620	920	0,933
640	920	0,882
660	920	0,829
680	920	0,780
700	920	0,733
720	920	0,688
740	920	0,648
760	920	0,608
780	920	0,571
800	920	0,537
820	920	0,504
840	920	0,474
860	920	0,446
880	920	0,420
900	920	0,396
920	920	0,373
940	920	0,351
960	920	0,330
980	920	0,310
1000	920	0,293
0	940	0,995
20	940	1,070
40	940	1,146
60	940	1,223
80	940	1,294
100	940	1,358
120	940	1,412
140	940	1,459
160	940	1,488
180	940	1,516
200	940	1,509
220	940	1,516
240	940	1,511
260	940	1,509
280	940	1,489
300	940	1,475
320	940	1,454
340	940	1,434
360	940	1,408
380	940	1,381
400	940	1,353
420	940	1,320
440	940	1,281
460	940	1,238
480	940	1,191
500	940	1,143
520	940	1,093
540	940	1,044
560	940	0,998
580	940	0,949
600	940	0,903
620	940	0,855
640	940	0,807
660	940	0,765
680	940	0,721
700	940	0,680
720	940	0,641
740	940	0,603
760	940	0,570
780	940	0,536
800	940	0,506
820	940	0,476
840	940	0,449

X m	Y m	Opad pyłu g/m ² /rok
580	400	5,015
600	400	4,056
620	400	3,347
640	400	2,824
660	400	2,408
680	400	2,074
700	400	1,806
720	400	1,578
740	400	1,397
760	400	1,237
780	400	1,109
800	400	0,997
820	400	0,901
840	400	0,820
860	400	0,744
880	400	0,684
900	400	0,627
920	400	0,578
940	400	0,535
960	400	0,494
980	400	0,461
1000	400	0,429
0	420	1,476
20	420	1,685
40	420	1,945
60	420	2,242
80	420	2,611
100	420	3,079
120	420	3,625
140	420	4,332
160	420	5,118
180	420	5,997
200	420	7,099
220	420	8,483
240	420	10,247
540	420	9,499
560	420	7,284
580	420	5,656
600	420	4,566
620	420	3,746
640	420	3,126
660	420	2,650
680	420	2,260
700	420	1,959
720	420	1,711
740	420	1,503
760	420	1,332
780	420	1,184
800	420	1,064
820	420	0,956
840	420	0,868
860	420	0,789
880	420	0,720
900	420	0,663
920	420	0,610
940	420	0,563
960	420	0,519
980	420	0,482
1000	420	0,447
0	440	1,633
20	440	1,882
40	440	2,165
60	440	2,555
80	440	3,016
100	440	3,579
120	440	4,313
140	440	5,174
160	440	6,320
180	440	7,598
200	440	9,123
220	440	11,161
560	440	8,293
580	440	6,428

X m	Y m	Opad pyłu g/m ² /rok
860	940	0,423
880	940	0,400
900	940	0,377
920	940	0,356
940	940	0,336
960	940	0,317
980	940	0,299
1000	940	0,282
0	960	0,931
20	960	0,995
40	960	1,059
60	960	1,120
80	960	1,179
100	960	1,227
120	960	1,275
140	960	1,301
160	960	1,334
180	960	1,333
200	960	1,345
220	960	1,331
240	960	1,340
260	960	1,320
280	960	1,316
300	960	1,291
320	960	1,282
340	960	1,259
360	960	1,243
380	960	1,221
400	960	1,199
420	960	1,174
440	960	1,141
460	960	1,107
480	960	1,069
500	960	1,029
520	960	0,987
540	960	0,945
560	960	0,903
580	960	0,864
600	960	0,824
620	960	0,784
640	960	0,744
660	960	0,704
680	960	0,668
700	960	0,632
720	960	0,598
740	960	0,565
760	960	0,533
780	960	0,504
800	960	0,476
820	960	0,450
840	960	0,425
860	960	0,401
880	960	0,380
900	960	0,359
920	960	0,340
940	960	0,322
960	960	0,305
980	960	0,288
1000	960	0,272
0	980	0,870
20	980	0,924
40	980	0,976
60	980	1,028
80	980	1,075
100	980	1,116
120	980	1,151
140	980	1,176
160	980	1,191
180	980	1,194
200	980	1,194
220	980	1,190
240	980	1,182
260	980	1,175

X m	Y m	Opad pyłu g/m ² /rok
600	440	5,096
620	440	4,157
640	440	3,426
660	440	2,891
680	440	2,455
700	440	2,111
720	440	1,836
740	440	1,603
760	440	1,422
780	440	1,263
800	440	1,129
820	440	1,016
840	440	0,917
860	440	0,834
880	440	0,758
900	440	0,694
920	440	0,635
940	440	0,584
960	440	0,537
980	440	0,497
1000	440	0,459
0	460	1,802
20	460	2,070
40	460	2,436
60	460	2,880
80	460	3,465
100	460	4,183
120	460	5,069
140	460	6,324
160	460	7,871
180	460	9,711
580	460	7,178
600	460	5,622
620	460	4,556
640	460	3,738
660	460	3,115
680	460	2,640
700	460	2,253
720	460	1,955
740	460	1,701
760	460	1,505
780	460	1,336
800	460	1,190
820	460	1,068
840	460	0,960
860	460	0,868
880	460	0,786
900	460	0,716
920	460	0,653
940	460	0,599
960	460	0,549
980	460	0,507
1000	460	0,467
0	480	1,971
20	480	2,298
40	480	2,703
60	480	3,243
80	480	3,910
100	480	4,834
120	480	6,083
140	480	7,659
580	480	7,864
600	480	6,138
620	480	4,896
640	480	4,012
660	480	3,320
680	480	2,813
700	480	2,401
720	480	2,071
740	480	1,798
760	480	1,576
780	480	1,391
800	480	1,234

X m	Y m	Opad pyłu g/m ² /rok
280	980	1,162
300	980	1,147
320	980	1,130
340	980	1,117
360	980	1,103
380	980	1,086
400	980	1,069
420	980	1,048
440	980	1,022
460	980	0,994
480	980	0,962
500	980	0,930
520	980	0,895
540	980	0,859
560	980	0,822
580	980	0,788
600	980	0,754
620	980	0,719
640	980	0,685
660	980	0,651
680	980	0,618
700	980	0,588
720	980	0,557
740	980	0,528
760	980	0,500
780	980	0,473
800	980	0,449
820	980	0,425
840	980	0,403
860	980	0,381
880	980	0,361
900	980	0,342
920	980	0,324
940	980	0,308
960	980	0,292
980	980	0,277
1000	980	0,262
0	1000	0,812
20	1000	0,856
40	1000	0,900
60	1000	0,944
80	1000	0,982
100	1000	1,014
120	1000	1,040
140	1000	1,059
160	1000	1,066
180	1000	1,063
200	1000	1,063
220	1000	1,060
240	1000	1,052
260	1000	1,041
280	1000	1,031
300	1000	1,018
320	1000	1,005
340	1000	0,992
360	1000	0,983
380	1000	0,971
400	1000	0,958
420	1000	0,940
440	1000	0,919
460	1000	0,896
480	1000	0,870
500	1000	0,843
520	1000	0,813
540	1000	0,783
560	1000	0,752
580	1000	0,721
600	1000	0,691
620	1000	0,662
640	1000	0,632
660	1000	0,603
680	1000	0,574
700	1000	0,546

X m	Y m	Opad pyłu g/m ² /rok
820	480	1,101
840	480	0,987
860	480	0,889
880	480	0,804
900	480	0,731
920	480	0,665
940	480	0,608
960	480	0,557
980	480	0,512
1000	480	0,472
0	500	2,176
20	500	2,539
40	500	3,014
60	500	3,583
80	500	4,455

X m	Y m	Opad pyłu g/m ² /rok
720	1000	0,520
740	1000	0,494
760	1000	0,469
780	1000	0,446
800	1000	0,423
820	1000	0,402
840	1000	0,381
860	1000	0,362
880	1000	0,343
900	1000	0,326
920	1000	0,310
940	1000	0,294
960	1000	0,280
980	1000	0,266
1000	1000	0,252